



CUSTOM RADIATOR TEMPLATE

Name: _____ E-Mail Address: _____
 Street: _____
 City: _____ State: _____ Zip: _____
 Phone: (____) _____ Cell: (____) _____ Fax: (____) _____

Instructions:

1. Fill out all information and specifications using standard components where applicable.
2. Place all desired components (outlets, filler, drain, etc.) where they are needed. Include detailed mounting brackets or studs, fan shroud & AC condenser locations.
3. The sample radiator is drawn with square tanks. If another tank shape is desired, draw this in with dotted lines. Indicate any area of the radiator where clearance may be a factor.
4. Read, fill-out, sign and date the drawing (agreement) in the customer approval signature box at the bottom of the drawing. We will call or email you to confirm to provide pricing information.
5. Once completed, fax or mail this information to Griffin Thermal Products. When transmitting via fax, please make certain that your answers & details are in **BOLD** ink.

NOTE: *MARK-UP THE ATTACHED RADIATOR DRAWING AS VIEWED FROM THE DRIVERS SEAT*

Vehicle & Radiator Specifications: Vehicle Year: _____ Make: _____ Model: _____

Vehicle Application: (circle one) **Street Race Other** _____ Replacing original radiator? **Yes No**

Engine displacement (cubic inch, liters, etc.) _____ Engine horsepower: _____

Type of fan: (circle one) **MECHANICAL ELECTRICAL**

Current radiator core thickness: (Obtained by putting a small wire through the core and measuring it) _____

Engine Oil Cooler: fitting type: _____ Transmission Cooler: fitting type: _____
 (Specify location on drawing) (Specify location on drawing)

Do you have air conditioning? **Yes No** Has this form been helpful? _____

Standard Griffin Components & Options:			
<u>Transmission Cooler Fittings:</u>	1/8" NPT	1/4" NPT	5/16" Inverted Flare
<u>Oil Cooler Fittings:</u>	1/2" NPT	#10 AN Male	#12 AN Male
<u>Inlet & outlet OUTSIDE diameters:</u>	.63", .75", 1.00", 1.13", 1.50", 1.63", 1.75", 2.00", 2.25", 2.50"		
<u>Filler necks:</u>	Standard	Mini-Billet (machined)	Mini billet

Select One
Option

Core and Tank Standard Sizes			
<u>Tube Size</u>	<u>Number of Rows</u>	<u>Core Thickness</u>	<u>Tank Width</u>
<input type="checkbox"/> 1-1/4"	2 rows	2-3/4"	3.0"
<input type="checkbox"/> 1-1/2"	1 row	1-1/2"	2-1/4"

To Order, Please Fax Form to: 864-845-5001 or Email Form to: Sales@griffinrad.com
 Call 800-722-3723 for Questions or Help

CUSTOM RADIATOR TEMPLATE

DOWN-FLOW RADIATOR

(ALL DIMENSIONS ARE IN INCHES)

TOP TANK
BOTTOM TANK
ENGINE SIDE
CORE THICKNESS
TANK WIDTH

TOP TANK
BOTTOM TANK
ENGINE SIDE
CORE THICKNESS
TANK WIDTH

TOP VIEW

ENGINE SIDE

LEFT SIDE VIEW

FRONT VIEW (ENGINE SIDE)

DRIVER SIDE
PASSENGER SIDE

RIGHT SIDE VIEW

ENGINE SIDE

BOTTOM VIEW

Outlet Examples

Straight

90° Mitered

45°

90° Mandrel

I (The Customer) do hereby acknowledge -that Griffin Thermal Products, Inc., its subsidiaries & affiliates are to build the radiator specified by the above drawing, It is my sole responsibility to determine that the radiator's design meets all specifications of the vehicle's engine for its fit and application, GTP disclaims any responsibility whatsoever for the radiator design contained in the above drawing. GTP is not responsible for mistakes or omissions in the above drawing and will not replace any radiator that is built to the above specifications.

Customer Design Approval Signature: _____

Date _____

CUSTOM RADIATOR TEMPLATE

